

10678706 2/28/06

* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*


Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10678706.str



chain nodes :
10 11 12 13 14 15 16
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
9-10 10-11 11-12 12-13 13-14 13-16 14-15
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
2-7 3-9 7-8 8-9 11-12 12-13 13-16 14-15
exact bonds :
9-10 10-11 13-14
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6


Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS

L1 STRUCTURE UPLOADED

10678706 2/28/06

=> d
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.


=> s l1
SAMPLE SEARCH INITIATED 12:45:00 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 10440 TO ITERATE

19.2% PROCESSED 2000 ITERATIONS 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 202677 TO 214923
PROJECTED ANSWERS: 142471 TO 152771

L2 50 SEA SSS SAM L1

=>
Uploading C:\Program Files\Stnexp\Queries\106787061.str



chain nodes :
10 11 12 13 14 15 16 19 20
ring nodes :
1 2 3 4 5 6 7 8 9

10678706 2/28/06


chain bonds :
9-10 10-11 11-12 12-13 13-14 13-16 14-15 14-19 19-20
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
2-7 3-9 7-8 8-9 11-12 12-13 13-16 14-15 19-20
exact bonds :
9-10 10-11 13-14 14-19
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

G1: Cy, Ak, S, N

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 19:CLASS 20:CLASS

L3 STRUCTURE UPLOADED

=> d
L3 HAS NO ANSWERS
L3 STR



G1 Cy, Ak, S, N

Structure attributes must be viewed using STN Express query preparation.

=> s 13
SAMPLE SEARCH INITIATED 12:51:00 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 10157 TO ITERATE

19.7% PROCESSED 2000 ITERATIONS 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

10678706 2/28/06

PROJECTED ITERATIONS: 197101 TO 209179
PROJECTED ANSWERS: 110431 TO 119523

L4 50 SEA SSS SAM L3

=> s l3 full
FULL SEARCH INITIATED 12:51:12 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 203100 TO ITERATE

98.3% PROCESSED	199605 ITERATIONS	113756 ANSWERS
100.0% PROCESSED	203100 ITERATIONS	116380 ANSWERS
SEARCH TIME: 00.00.19		

L5 116380 SEA SSS FUL L3

=> s l5 and pseudodipeptide
0 PSEUDODIPEPTIDE
L6 0 L5 AND PSEUDODIPEPTIDE

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	177.42	177.90

FILE 'CAPLUS' ENTERED AT 12:52:52 ON 14 MAR 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Mar 2006 VOL 144 ISS 12
FILE LAST UPDATED: 13 Mar 2006 (20060313/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l5
L7 43767 L5

=> s l7 AND PSEUDODIPEPTIDE
162 PSEUDODIPEPTIDE
197 PSEUDODIPEPTIDES
291 PSEUDODIPEPTIDE
(PSEUDODIPEPTIDE OR PSEUDODIPEPTIDES)
L8 6 L7 AND PSEUDODIPEPTIDE


10678706 2/28/06

=> D IBIB ABS HITSTR TOT

L8 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2005:184245 CAPLUS
 DOCUMENT NUMBER: 142:411637
 TITLE: Facile degradative lactonization of Gln-Arg and Gln-Phe hydroxyethylene dipeptide derivatives
 AUTHOR(S): Haug, B. E.; Brewer, M.; Rich, D. H.
 CORPORATE SOURCE: School of Pharmacy and Department of Chemistry, University of Wisconsin-Madison, WI, USA
 SOURCE: Journal of Peptide Research (2005), 65(1), 77-83
 CODEN: JPERFA; ISSN: 1397-002X
 PUBLISHER: Blackwell Publishing Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB We have found that hydroxyethylene (HE) dipeptide analogs of Gln-Arg and Gln-Phe are unusually susceptible to acid catalyzed lactonization. The synthesis of substrate-based transition state analog inhibitors of botulinum neurotoxin metalloprotease that contain the Gln-Arg or the Gln-Phe HE units is complicated by this facile degradative lactonization.
 IT 850263-98-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (solid phase peptide synthesis of transition state analog inhibitors of botulinum neurotoxin metalloprotease)
 RN 850263-98-8 CAPLUS
 CN L-Lysinamide, N-[(9H-fluoren-9-ylmethoxy)carbonyl]-L-seryl-(α)-α-[(2R,3S)-3-amino-2,6-dihydroxyhexyl]benzenepropanoyl-L-α-glutamyl-L-threonyl-L-seryl-L-alanyl-L-alanyl-L-lysyl-L-leucyl-L-arginyl-L-lysyl-L-tyrosyl-L-tryptophyl-L-tryptophyl-L-lysyl-L-asparaginyl-L-leucyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

PAGE 1-A




L8 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A




PAGE 2-C




REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-B



PAGE 1-C



L8 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:702118 CAPLUS
 DOCUMENT NUMBER: 141:218943
 TITLE: Compositions and methods for enhancing apoptosis using BIR domain-binding oligopeptides to release melanoma inhibitor of apoptosis protein from caspase
 INVENTOR(S): Fairbrother, Wayne J.; Deshayes, Kurt; Fischer, Saloumeh; Flygare, John A.; Franklin, Matthew C.; Vucic, Domagoj
 PATENT ASSIGNEE(S): Genentech, Inc., USA
 SOURCE: PCT Int. Appl., 68 pp.
 CODEN: PTKX22
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004072641	A1	20040826	WO 2003-US3799	20030207
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CN, GM, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2514316	AA	20040826	CA 2003-2514316	20030207
AU 2003216203	A1	20040906	AU 2003-216203	20030207
EP 1590666	A1	20051102	EP 2003-815888	20030207
A:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
PRIORITY APPLN. INFO.:			WO 2003-US3799	W 20030207
OTHER SOURCE(S):				

AB The present invention is directed to compns. of matter useful for the enhancement of apoptosis in mammals and to methods of using those compns. of matter for the same. BDB (BIR domain-binding) oligopeptides that specifically bind to ML-IAP (melanoma inhibitor of apoptosis) and release the inhibitory effect ML-IAP has on caspase activity are claimed. Apoptosis in cancer cells is increased by administering the oligopeptide.
 IT 214556-79-3D, fusion proteins with peptides
 RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); FRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (apoptosis induction by; enhancing apoptosis using BIR domain-binding oligopeptides to release melanoma inhibitor of apoptosis protein from caspase)
 RN 214556-79-3 CAPLUS
 CN L-lysineamide, L-arginyl-L-glutamyl-L-isoleucyl-L-lysyl-L-isoleucyl-L-tryptophyl-L-phenylalanyl-L-glutamyl-L-asparaginyl-L-arginyl-L-arginyl-L-methionyl-L-lysyl-L-tryptophyl-L-lysyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L8 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A



PAGE 1-B



L8 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:578804 CAPLUS

DOCUMENT NUMBER: 132:152110

TITLE: Totally stereocontrolled synthetic routes for (E)-alkene dipeptide isosteres

AUTHOR(S): Fujii, N.; Ibuka, T.; Mimura, N.; Tamamura, H.; Otake, A.; Ohno, H.; Aoyama, H.; Okano, K.; Hirohashi, M.

CORPORATE SOURCE: Graduate School of Pharmaceutical Sciences, Kyoto University, Kyoto, 606-8501, Japan


SOURCE: Peptide Science: Present and Future, Proceedings of the International Peptide Symposium, 1st, Kyoto, Nov. 30-Dec. 5, 1997 (1999), Meeting Date 1997, 502-503. Editor(s): Shimonishi, Yasutsugu. Kluwer: Dordrecht, Neth.

CODEN: 68BYA5

DOCUMENT TYPE: Conference

LANGUAGE: English

GI



I

AB A report from a symposium on totally stereocontrolled synthetic routes for the preparation of (E)-alkene dipeptide isosteres starting from aziridinylenoates. The practical application of the diastereoconvergent process to derivatizations of potential peptide-lead drugs involving Ras-Farnesyl transferase inhibitor and bombesin/GRP antagonist was examined. Thus, peptide analogs 1 (R = iso-Pr, PhCH₂) and (E)-alkene bombesin isostere (EABI-1) were prepared and their biol. activities tested.

IT 178035-27-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(stereoselective synthesis and biol. activity of peptide analogs containing alkene dipeptide isosteres)


RN 178035-27-3 CAPLUS

CN 1-7-Litorin (peptide), 1-D-phenylalanine-7-[N-[(4R)-4-(aminocarbonyl)-6-methyl-(1S)-1-(2-methylpropyl)-(2E)-2-heptenyl]-L-histidinamide]- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.


L8 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A




L8 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A



PAGE 1-B





REFERENCE COUNT: 5

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1995:758608 CAPLUS
 DOCUMENT NUMBER: 123:170184
 TITLE: New pseudo-dipeptide derivatives, their preparation, and their use as gastrin antagonists.
 INVENTOR(S): Martinez, Jean; Riquet, William; Bigg, Dennis; Halsey, Serge
 PATENT ASSIGNEE(S): Fabre Pierre Medicament, Fr.
 SOURCE: Fr. Demande, 36 pp.
 CODEN: FROXBL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2697843	A1	19940513	FR 1992-13542	19921110
WO 9411390	A1	19940526	WO 1993-FR1099	19931109

W: CA, JP, US
 RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE
 PRIORITY APPLN. INFO.: FR 1992-13542 A 19921110
 OTHER SOURCE(S): MARPAT 123:170184
 GI




AB Title compds. I (Z = (un)substituted Ph, PhCH₂, indanyl, (poly)cycloalkyl, indolylalkyl, naphthyl, naphthylmethyl, PhCH₂, naphthylmethyl, R1 = (CH₂)_nCO₂H; n = 1-5; R2 = alkyl; X = NH or CO; Y = CO or NH; X * Y; Z' = H, Me; Z'' = H, CO₂R₃, NHCOR₃; if Y = NH, Z'' = NHCOR₃; if Y = CO, Z'' = COR₃; R₃ = (un)substituted alkyl, (poly)cycloalkyl, Ph) and salts are claimed and prepared (14 examples). I are gastrin and CCK receptor antagonists, and are claimed useful for treating ulcers, Zollinger-Ellison syndrome, and reflux-induced esophagitis. For example, amidation of tryptamine with Boc-D-Nle-OSu [Boc = tert-BuOCO, Su = N-succinimidyl] in DMF gave 79% Boc-D-Nle-NHCH₂CH₂R [R = 3-indolyl]. This was deprotected with CF₃CO₂H and coupled with Z-D-Glu(OCH₂Ph)-ONp [Z =

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 166945-39-7 CAPLUS
 CN L-Norleucinamide, N-[(phenylmethoxy)carbonyl]-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 166945-40-0 CAPLUS
 CN Carbamic acid, 1-[[[2-(1H-indol-3-yl)ethyl]amino]carbonyl]pentyl]-, 1,1-dimethylethyl ester, (R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 166945-41-1 CAPLUS
 CN D-Norleucinamide, N-[(phenylmethoxy)carbonyl]-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 PhCH₂CO₂, Mp = 68.4-70.2°C) in DMF in the presence of HOBt and DIEA to give 94% Z-D-Glu(OCH₂Ph)-D-Nle-NHCH₂CH₂R. Hydrogenolysis of the latter compd. and coupling with 3,4-dichlorobenzoyl in DMF in the presence of DIEA gave title compd. D,D-II. In the EtOH-induced ulcer test in mice, this compd. gave 80% inhibition at 25 mg/kg p.o.
 IT 166945-35-3P 166945-37-5P 166945-38-6P
 166945-39-7P 166945-40-0P 166945-41-1P
 166945-42-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; preparation of pseudo-dipeptides as gastrin and CCK antagonists)

RN 166945-35-3 CAPLUS

CN D-Norleucinamide, N-[(phenylmethoxy)carbonyl]-L-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 166945-37-5 CAPLUS

CN Carbamic acid, 1-[[[2-(1H-indol-3-yl)ethyl]amino]carbonyl]pentyl]-, 1,1-dimethylethyl ester, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 166945-38-6 CAPLUS

CN D-Norleucinamide, N-[(phenylmethoxy)carbonyl]-L-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 166945-42-2 CAPLUS

CN D-Norleucinamide, D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT 166945-19-3P 166945-20-6P 166945-21-7P
 166945-22-8P 166945-23-0P 166945-24-0P
 166945-25-1P 166945-26-2P 166945-27-3P
 166945-28-4P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of pseudo-dipeptides as gastrin and CCK antagonists)

RN 166945-19-3 CAPLUS

CN L-Norleucinamide, N-(3,4-dichlorobenzoyl)-L-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 166945-20-6 CAPLUS

CN L-Norleucinamide, N-(3,4-dichlorobenzoyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)


10678706 2/28/06

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
Absolute stereochemistry.




RN 166945-21-7 CAPLUS
CN D-Norleucinamide, N-(3,4-dichlorobenzoyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 166945-22-8 CAPLUS
CN D-Norleucinamide, N-(3,4-dichlorobenzoyl)-L-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 166945-23-9 CAPLUS
CN D-Norleucinamide, N-[(3,4-dichlorophenyl)acetyl]-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 166945-27-3 CAPLUS
CN D-Norleucinamide, N-(1-naphthalenylcarbonyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 166945-28-4 CAPLUS
CN D-Norleucinamide, N-(2-naphthalenylcarbonyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 166945-44-4
RL: RCT (Reactant); RACT (Reactant or reagent)
(starting material; preparation of pseudo-dipeptides as gastrin and CCK antagonists)


RN 166945-44-4 CAPLUS
CN Hexanamide, 2-amino-N-[2-(1H-indol-3-yl)ethyl]-, (S)-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)

CH 1

CRN 166945-43-3
CHF C16 H23 N3 O


Absolute stereochemistry.

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 166945-24-0 CAPLUS
CN D-Norleucinamide, N-[(3,4-dichlorophenoxy)acetyl]-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 166945-25-1 CAPLUS
CN D-Norleucinamide, N-(2-naphthalenylacetyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 166945-26-2 CAPLUS
CN D-Norleucinamide, N-(1-naphthalenylacetyl)-D-α-glutamyl-N-[2-(1H-indol-3-yl)ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L8 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CH 2

CRN 76-05-1
CHF C2 H F3 O2



L8 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2006 ACS ON STN
 ACCESSION NUMBER: 1992:449229 CAPLUS
 DOCUMENT NUMBER: 117:49229
 TITLE: Ketomethylene analogs of phosphoryl dipeptides related to phosphoramidon: synthesis and inhibition of proteases
 AUTHOR(S): Gomez-Monterrey, Isabel; Gonzalez Muniz, Rosario; Perez-Martin, Concepcion; Lopez de Ceballos, Maria; Del Rio, Joaquin; Garcia-Lopez, M. Teresa
 CORPORATE SOURCE: Med. Chem. Inst., Madrid, 28006, Spain
 SOURCE: Archiv der Pharmazie (Weinheim, Germany) (1992), 325(5), 261-5
 CODEN: ARPMA; ISSN: 0365-6233
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Non-rhamnose-containing phosphoramidon analogs H2O3P-Leu-CH2CHRCO2Me (I; R = Ph, 3-indolyl), in which the amide bond was replaced by the isosteric ketomethylene group, were prepared to stabilize these compds. to peptidase degradation. The key step in this synthesis was suitable alkylation of 4-ketodiester 2-Leu-CH2CH(CO2Me)2 (2 = PhCH2CO2C), prepared from 2-Leu-CH2Cl and CH2(CO2Me)2. The ketomethylene dipeptide deriva. I are good inhibitors of thermolysin, angiotensin-converting enzyme (ACE), and especially enkephalinase.
 IT 36357-77-4DP, Phosphoramidon, non-rhamnose-containing ketomethylene analogs
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as protease inhibitors)
 RN 36357-77-4 CAPLUS
 CN L-Tryptophan, N-[[[(6-deoxy- α -L-mannopyranosyl)oxy]hydroxyphosphinyl]-L-leucyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



L8 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2006 ACS ON STN
 ACCESSION NUMBER: 1981:192668 CAPLUS
 DOCUMENT NUMBER: 94:192668
 TITLE: Pseudodipeptides: synthesis and incorporation within analogs of LH-RH
 AUTHOR(S): Spatola, A. F.; Bettag, A. L.; Fok, K. F.; Saneii, H.; Yankeelov, J. A., Jr.
 CORPORATE SOURCE: Dep. Chem. Biochem., Univ. Louisville, Louisville, KY, 40208, USA
 SOURCE: Pept., Struct. Biol. Funct., Proc. Am. Pept. Symp., 6th (1979), 273-6. Editor(s): Gross, Erhard; Meienhofer, Johannes. Pierce Chem. Co.: Rockford, Ill.
 CODEN: 44LVAU
 DOCUMENT TYPE: Conference
 LANGUAGE: English
 AB Pseudodipeptides H-Gly- YLeu-OH (Y = CH2S replacement for CONH), H-Gly-YIle-OH, H-Ser- YLeu-OH, H-D-Ser-YLeu-OH, and Me3CO2-X-Ygly-OH [X = Phe, Tyr(CH2Ph), Pro] were prepared and Gly-YLeu was incorporated into LH-releasing hormone (LH-RH) analogs [Gly-YLeu6,7]-LH-RH and [D-pyroglut, D-Phe2, D-Trp3, Gly-YLeu6,7]-LH-RH by solid-phase peptide synthesis. Biol. activities of these LH-RH analogs were determined
 IT 53422-04-1 68059-94-9
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study) (biol. activity of)
 RN 53422-04-1 CAPLUS
 CN Luteinizing hormone-releasing factor (swine), 2-D-phenylalanine- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

PAGE 1-A



L8 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)

PAGE 1-B




=NH


RN 68059-94-9 CAPLUS
 CN Glycinamide, 5-oxo-D-prolyl-D-phenylalanyl-D-tryptophyl-L-seryl-L-tyrosyl-D-tryptophyl-L-leucyl-L-arginyl-L-prolyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B




L8 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)

PAGE 2-A




IT 76509-48-3P 76509-51-8P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation) (preparation and biol. activity of)
 RN 76509-48-3 CAPLUS
 CN Luteinizing hormone-releasing factor (swine), 6-[2-[(2-aminoethyl)thio]-4-methylpentanoic acid]-7-de-L-leucine-, (S)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 76509-51-8 CAPLUS
 CN Glycinamide, N2-(4-methyl-1-oxo-2-[[2-[[[N-[N-[N-(5-oxo-D-prolyl)-D-phenylalanyl]-D-tryptophyl]-L-seryl]-L-tyrosyl]amino]ethyl]thio]pentyl]-L-arginyl-L-prolyl-, (5)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



10678706 2/28/06

=> LOGOFF

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

35.37

213.27

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-4.50

-4.50

STN INTERNATIONAL LOGOFF AT 12:56:38 ON 14 MAR 2006